

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SDS Ref.: E-00339

Date of issue: 28/09/2004 Revision date: 15/10/2019 Supersedes: 02/07/2019 Version: 6.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture
Product name : TENACITO 65R
Product code : E-00339

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Electric arc welding coated electrode
Industrial/Professional use spec : Reserved for industrial and professional use

Function or use category : Welding and soldering agents

1.2.2. Uses advised against

Restrictions on use : No particular exclusions are known

#### 1.3. Details of the supplier of the safety data sheet

Lincoln Electric Europe B.V. Nieuwe Dukenburgseweg 20 6534 AD Nijmegen - The Netherlands T +31 243 522 911

sds@lincolnelectriceurope.com - www.lincolnelectric.eu

#### 1.4. Emergency telephone number

Emergency number : INRS +33 (0)1.45.42.59.59

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Available 24 hours/day
United Kingdom	National Poisons Information Service (Cardiff Centre) Gwenwyn Ward, Llandough Hospital	Penarth CF64 2XX Cardiff	0344 892 0111	Available 24 hours/day

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Adverse physicochemical, human health and environmental effects

No additional information available

#### 2.2. Label elements

However the form in which product is placed on the market does not present a danger, such preparations do not require a label. No labelling applicable

### 2.3. Other hazards

Other hazards not contributing to the classification

: Spatter and melting metal can cause burn injuries. UV, IR radiations. Inhalation of vapours may cause respiratory irritation. Excessive or prolonged inhalation of fumes may cause metal fever. Electric shocks can kill. Persons with a pacemaker should not go near welding or cutting operations until they have consulted their doctor and obtained information from the manufacturer of the device.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Manganese substance with a Community workplace exposure limit	(CAS-No.) 7439-96-5 (EC-No.) 231-105-1 (REACH-no) 01-2119449803-34	1 - 3	Not classified

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Quartz (SiO2)	(CAS-No.) 14808-60-7 (EC-No.) 238-878-4	1 - 3	STOT RE 1, H372
	(EG-110.) 230-070-4		

Full text of H-statements: see section 16

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : If breathing becomes difficult (due to inhalation of fume), take the patient to fresh air and

get them to breathe deeply. Seek medical attention if symptoms persist.

First-aid measures after skin contact : In case of burn with hot metal, flush with plenty of water. Seek medical attention if burns

develop

First-aid measures after eye contact : In case of burn with hot metal, flush with plenty of water. Seek medical attention

immediately.

First-aid measures after ingestion : Ingestion unlikely. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : See Heading 2.3.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Dry powder.
Unsuitable extinguishing media : Water.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Not flammable.

Hazardous decomposition products in case of fire : May release hazardous fumes.

#### 5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Do not remove damaged packages. Move only undamaged packages out of fire zone.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Measures in case of dust release : Wear suitable respiratory equipment.

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Do not touch or walk on the spilled product. Place in a suitable container for disposal in

accordance with the waste regulations (see Section 13).

Other information : Contain and collect as any solid.

#### 6.4. Reference to other sections

See Heading 8.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Additional hazards when processed : Provide local exhaust or general room ventilation to minimize exposure to dust.

Precautions for safe handling : Local exhaust and general ventilation must be adequate to meet exposure standards.

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry protected location to prevent any moisture contact. Keep container closed

when not in use. Keep only in original container.

#### 7.3. Specific end use(s)

Not applicable.

15/10/2019 (Version: 6.0) EN (English) 2/8

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

according to regulation (EC) No. 1907/2000 (REACH) With its		
SECTION 8: Exposure controls/personal protection 8.1. Control parameters		
Manganese (7439-96-5)		
EU - Occupational Exposure Limits		
Local name	Manganese	
IOELV TWA (mg/m³)	0,2 mg/m³ (inhalable fraction) 0,05 mg/m³ (respirable fraction)	
Notes	(Year of adoption 2011)	
Regulatory reference	SCOEL Recommendations	
Germany - Occupational Exposure Limits (TRGS 90	0)	
TRGS 900 Local name	Mangan und seine anorganischen Verbindungen	
TRGS 900 Occupational exposure limit value (mg/m³)	0,02 mg/m³ (A) 0,2 mg/m³ (E)	
TRGS 900 Limitation of exposure peaks	8(II)	
TRGS 900 Remark	DFG,Y,10	
TRGS 900 Regulatory reference	TRGS900	
Portugal - Occupational Exposure Limits		
Local name	Manganês e compostos inorgânicos, expressos em Mn	
OEL TWA (mg/m³)	0,2 mg/m³	
Regulatory reference	Norma Portuguesa NP 1796:2014	
Spain - Occupational Exposure Limits		
Local name	Manganeso	
VLA-ED (mg/m³)	0,2 mg/m³ elemental 0,2 mg/m³ Compuestos inorgánicos de Manganeso, como Mn	
Quartz (SiO2) (14808-60-7)		
Austria - Occupational Exposure Limits		
MAK (mg/m³)	0,1 mg/m³	
Belgium - Occupational Exposure Limits		
Limit value (mg/m³)	0,1 mg/m³	
France - Occupational Exposure Limits		
Local name	quartz	
VME (mg/m³)	0,1 mg/m³	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (mg/m³)	0,1 mg/m³	
Netherlands - Occupational Exposure Limits		
Local name	Silicium(di)oxide- kwarts	
Grenswaarde TGG 8H (mg/m³)	0,075 mg/m³	
Portugal - Occupational Exposure Limits		
Local name	Silica, cristalina α - Quartzo	
OEL TWA (mg/m³)	0,025 mg/m³	
Spain - Occupational Exposure Limits		
Local name	Sílice Cristalina (Cuarzo)	
VLA-ED (mg/m³)	0,05 mg/m³ Fracción respirable	

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Quartz (SiO2) (14808-60-7)	
Notes	(2015), n (En las industrias extractivas véase la Orden ITC 2585/2007, de 30 de agosto (BOE nº 315 de 7 de septiembre de 2007), por la que se aprueba la Instrucción Técnica Complementaria 2.0.02 del Reglamento General de Normas Básicas de Seguridad Minera.), d (Véase UNE EN 481: Atmósferas en los puestos de trabajo. Definición de las fracciones por el tamaño de las partículas para la medición de aerosoles.), y (Reclasificado, por la International Agency for Research on Cancer (IARC) de grupo 2A (probablemente carcinogénico en humanos) a grupo 1 (carcinogénico en humanos).), véase ITC/2582/2007
Sweden - Occupational Exposure Limits	
nivågränsvärde (NVG) (mg/m³)	0,1 mg/m³
USA - ACGIH - Occupational Exposure Limits	
ACGIH TWA (mg/m³)	10

### 8.2. Exposure controls

#### Materials for protective clothing:

Wear suitable protective clothing.

#### Skin and body protection:

Skin protection appropriate to the conditions of use should be provided.

#### Respiratory protection:

Physical state

Do not exceed the occupational exposure limits (OEL). In case of insufficient ventilation, wear suitable respiratory equipment

: Solid

#### **Environmental exposure controls:**

Do not exceed the occupational exposure limits (OEL).

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical property of the property of th	properties

: Grey. Colour : odourless. Odour Odour threshold : No data available pН : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Ca 1500 °C Freezing point : No data available **Boiling point** : No data available Flash point : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability (solid, gas) : No data available Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : No data available

Density : 6 - 8
Solubility : Insoluble.

Log Pow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

None under normal conditions.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### 10.2. Chemical stability

Stable under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

Not applicable.

#### 10.4. Conditions to avoid

None under normal conditions.

#### 10.5. Incompatible materials

Keep away from oxidising agents and strongly alkaline and strongly acidic materials.

#### 10.6. Hazardous decomposition products

Formation of dangerous furnes during use. Welding furnes are classified carcinogen by the IARC (International Agency for Research on Cancer): Group 1. Reasonably expected gaseous products would include carbon oxides, nitrogen oxides and ozone. These hazardous products could include those from the reaction or oxidation of the components listed in section 3 or included in base material. The amount of furnes generated change with the welding parameters and the diameters of the consumable. Refer to applicable national exposure limits for furne compounds and national exposure limits for furnes. In case of work on parts covered by coatings such as: Lubrificants, Solvent, Paint, metalic compounds, Grease, etc... The thermal or photochemical decomposition products of these elements cumulate with the dust and furnes emitted by the melting of the welding product. The solution to adopt must be, in any case, preceeded by a spot study. Refer to the document "Health and Safety in Welding" published by the International Institute of Welding.

#### **SECTION 11: Toxicological information**

11.1. Information	on on toxicol	ogical effects
-------------------	---------------	----------------

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified : Not classified Acute toxicity (inhalation) Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

### Quartz (SiO2) (14808-60-7)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified. Aspiration hazard : Not classified

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

#### 12.2. Persistence and degradability

No additional information available

#### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Regional legislation (waste) : Dispose in a safe manner in accordance with local/national regulations.

Additional information : 12 01 13 Welding wastes (Q8). 16 01 17 Ferrous metal (Q1). 16 01 18 Non-ferrous metal

(Q1).

Ecology - waste materials : Avoid release to the environment.

15/10/2019 (Version: 6.0) EN (English) 5/8

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

DN 14: Transport information	

In accordance with ADR / RID / IMDG / IATA / ADN

**14.1. UN number** 

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

**ADR** 

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

#### 14.6. Special precautions for user

**Overland transport** 

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

#### 15.1.2. National regulations

#### Germany

Reference to AwSV : Water hazard class (WGK) 1, Slightly hazardous to water (Classification according to

AwSV, Annex 1)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: Quartz (SiO2) is listed

: None of the components are listed

: None of the components are listed

: Manganese is listed

: Manganese is listed

Denmark

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

The requirements from the Danish Working Environment Authorities regarding work with

carcinogens must be followed during use and disposal

#### 15.2. Chemical safety assessment

No additional information available

### **SECTION 16: Other information**

# Indication of changes:

8.1. Control parameters.
Abbreviations and acronyms:

Appreviations and acre	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006

15/10/2019 (Version: 6.0) EN (English) 7/8

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
TLM	Median Tolerance Limit
vPvB	Very Persistent and Very Bioaccumulative
Other information	The product must not be used for any application that is not allowed, in this case we will not be responsible for any damage caused. The user must respect current Safety, Health and Environmental legislation.

Full text of H- and EUH-statements:	
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H372	Causes damage to organs through prolonged or repeated exposure.
EUH208	Contains nickel powder; [particle diameter < 1mm](7440-02-0). May produce an allergic reaction.

### SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.